

# 淡江大學九十二學年度碩士班招生考試試題

系別：財務金融學系

科目：統計學

准帶項目請打「○」否則打「×」
簡單型計算機
○

本試題共 3 頁

本試題雙面印刷

1. Let  $X_1$  and  $X_2$  be two random variables with  $Var(X_i) = \sigma_i^2$  ( $i = 1, 2$ ) and  $Cov(X_1, X_2) = \sigma_{12}$  (their means are unknown). Suppose that  $W = X_1 + X_2$  and  $Z = X_1 - X_2$ .

- A. (10%) Show how to derive  $Cov(W, Z)$ .
- B. (10%) State the condition under which  $W$  and  $Z$  will be uncorrelated.

2. (15%) In an introductory finance class there are 500 students, of which 300 are males and 200 are females. Of these, 100 males and an unknown number of females plan to major in finance. A student is selected at random from this class and this student plans to be a finance major. If the probability that the selected student is a male is 0.625. What is the number of females in the class?

3. (15%) Let  $X$  be a random variable denoting the number of heads obtained in two tosses of a fair coin. Please write down the probability density function of  $X$  and calculate the expected value and variance of  $X$ .

4. 下列為利用1960 - 1988年之年資料，某地區所估計對香菸的需求關係：

$$\ln q_t = \beta_1 + \beta_2 \ln p_t + \beta_3 \ln y_t + \epsilon_t$$

其中：

- $q$ ：香菸需求量(單位：包)
- $p$ ：香菸之平均價格(單位：元)
- $y$ ：平均每人所得(單位：元)

估計結果如下：

解釋變數	被解釋變數: $\ln q_t$			
	模型A		模型B	
	估計值	標準差	估計值	標準差
constant	-4.5852	0.7524	0.7848	0.0201
$\ln p_t$	-0.4836	0.1056		
$\ln y_t$	0.6879	0.0984		
SSR*	0.0989		0.3296	
$R^2$	0.7000			

\* SSR: Sum of Squared Residuals.

- A. (10%) 在5%的顯著水準下，請問對香菸的需求是否具有價格彈性？
- B. (10%) 在5%的顯著水準下，請檢定對香菸需求的所得彈性是否等於0.5？
- C. (10%) 在5%的顯著水準下，請檢定  $\beta_2$  與  $\beta_3$  是否同時為0？
- D. (10%) 請算出模型A的調整後  $R^2$ ，即  $\bar{R}^2$ 。

5. (10%) 考慮下列關係：

$$y_i = \beta_0 + \beta_1 x_i + \beta_2 d_i + u_i, \quad i = 1, 2, \dots, n$$

其中  $y$  代表房屋價格(單位：元)， $x$  代表房屋大小(單位：坪) 而  $d$  則為一虛擬變數，若該房子附有游泳池則其值為1，否則為0。若你有上述變數的資料，請逐步說明如何利用「White」方法來檢定是否有異質性變異數？

◀ 注意背面尚有試題 ▶

10920

# 淡江大學九十二學年度碩士班招生考試試題

系別：財務金融學系

科目：統計學

准帶項目請打「○」否則打「×」
簡單型計算機
○

本試題共 3 頁

Table A.2 Percentage Points of the t-Distribution

d.f.	1T=0.4 2T=0.8	0.25 0.5	0.1 0.2	0.05 0.1	0.025 0.05	0.01 0.02	0.005 0.01	0.0025 0.005	0.001 0.002	0.0005 0.001
1	0.325	1.000	3.078	6.314	12.706	31.821	63.657	127.32	318.31	636.62
2	.289	0.816	1.886	2.920	4.303	6.965	9.925	14.089	22.327	31.598
3	.277	.765	1.638	2.353	3.182	4.541	5.841	7.453	10.214	12.924
4	.271	.741	1.533	2.132	2.776	3.747	4.604	5.598	7.173	8.610
5	0.267	0.727	1.476	2.015	2.571	3.365	4.032	4.773	5.893	6.869
6	.265	.718	1.440	1.943	2.447	3.143	3.707	4.317	5.208	5.959
7	.263	.711	1.415	1.895	2.365	2.998	3.499	4.029	4.785	5.408
8	.262	.706	1.397	1.860	2.306	2.896	3.355	3.833	4.501	5.041
9	.261	.703	1.383	1.833	2.262	2.821	3.250	3.690	4.297	4.781
10	0.260	0.700	1.372	1.812	2.228	2.764	3.169	3.581	4.144	4.587
11	.260	.697	1.363	1.796	2.201	2.718	3.106	3.497	4.025	4.437
12	.259	.695	1.356	1.782	2.179	2.681	3.055	3.428	3.930	4.318
13	.259	.694	1.350	1.771	2.160	2.650	3.012	3.372	3.852	4.221
14	.258	.692	1.345	1.761	2.145	2.624	2.977	3.326	3.787	4.140
15	0.258	0.691	1.341	1.753	2.131	2.602	2.947	3.286	3.733	4.073
16	.258	.690	1.337	1.746	2.120	2.583	2.921	3.252	3.686	4.015
17	.257	.689	1.333	1.740	2.110	2.567	2.898	3.222	3.646	3.965
18	.257	.688	1.330	1.734	2.101	2.552	2.878	3.197	3.610	3.922
19	.257	.688	1.328	1.729	2.093	2.539	2.861	3.174	3.579	3.883
20	0.257	0.687	1.325	1.725	2.086	2.528	2.845	3.153	3.552	3.850
21	.257	.686	1.323	1.721	2.080	2.518	2.831	3.135	3.527	3.819
22	.256	.686	1.321	1.717	2.074	2.508	2.819	3.119	3.505	3.792
23	.256	.685	1.319	1.714	2.069	2.500	2.807	3.104	3.485	3.767
24	.256	.685	1.318	1.711	2.064	2.492	2.797	3.091	3.467	3.745
25	0.256	0.684	1.316	1.708	2.060	2.485	2.787	3.078	3.450	3.725
26	.256	.684	1.315	1.706	2.056	2.479	2.779	3.067	3.435	3.707
27	.256	.684	1.314	1.703	2.052	2.473	2.771	3.057	3.421	3.690
28	.256	.683	1.313	1.701	2.048	2.467	2.763	3.047	3.408	3.674
29	.256	.683	1.311	1.699	2.045	2.462	2.756	3.038	3.396	3.659
30	0.256	0.683	1.310	1.697	2.042	2.457	2.750	3.030	3.385	3.646
40	.255	.681	1.303	1.684	2.021	2.423	2.704	2.971	3.307	3.551
60	.254	.679	1.296	1.671	2.000	2.390	2.660	2.915	3.232	3.460
120	.254	.677	1.289	1.658	1.980	2.358	2.617	2.860	3.160	3.373
∞	.253	.674	1.282	1.645	1.960	2.326	2.576	2.807	3.090	3.291

Note: 1T = area under one tail; 2T = area under both tails.

For 25 degrees of freedom (d.f.),  $P(t > 2.060) = 0.025$  and  $P(t < -2.060 \text{ or } t > 2.060) = 0.05$ .

Source: *Biometrika Tables for Statisticians*, Vol. 1, 3rd ed., edited by E. S. Pearson and H. O. Hartley, 1966. Reprinted with the permission of the Biometrika Trustees.

# 淡江大學九十二學年度碩士班招生考試試題

系別：財務金融學系

科目：統計學

准帶項目請打「○」否則打「×」
簡單型計算機
○

本試題共 3 頁

Table A.4b Upper 5% Points of the F-Distribution

n	1	2	3	4	5	6	7	8	9	10	12	15	20	24	30	40	60	120	∞
1	161.4	199.5	215.7	224.6	230.2	234.0	236.8	238.9	240.5	241.9	243.0	245.9	248.0	249.1	250.1	251.1	252.2	253.3	254.3
2	18.51	19.00	19.16	19.25	19.30	19.33	19.35	19.37	19.38	19.40	19.41	19.43	19.45	19.45	19.46	19.47	19.48	19.49	19.50
3	10.13	9.55	9.28	9.12	9.01	8.94	8.89	8.85	8.81	8.79	8.74	8.70	8.66	8.64	8.62	8.59	8.57	8.55	8.53
4	7.71	6.94	6.59	6.39	6.26	6.16	6.09	6.04	6.00	5.96	5.91	5.86	5.80	5.77	5.75	5.72	5.69	5.66	5.63
5	6.61	5.79	5.41	5.19	5.05	4.95	4.88	4.82	4.77	4.74	4.68	4.62	4.56	4.53	4.50	4.46	4.43	4.40	4.36
6	5.99	5.14	4.76	4.53	4.39	4.28	4.21	4.15	4.10	4.06	4.00	3.94	3.87	3.84	3.81	3.77	3.74	3.70	3.67
7	5.59	4.74	4.35	4.12	3.97	3.87	3.79	3.73	3.68	3.64	3.57	3.51	3.44	3.41	3.38	3.34	3.30	3.27	3.23
8	5.32	4.46	4.07	3.84	3.69	3.58	3.50	3.44	3.39	3.35	3.28	3.22	3.15	3.12	3.08	3.04	3.01	2.97	2.93
9	5.12	4.26	3.86	3.63	3.48	3.37	3.29	3.23	3.18	3.14	3.07	3.01	2.94	2.90	2.86	2.83	2.79	2.75	2.71
10	4.96	4.10	3.71	3.48	3.33	3.22	3.14	3.07	3.02	2.98	2.91	2.85	2.77	2.74	2.70	2.66	2.62	2.58	2.54
11	4.84	3.98	3.59	3.36	3.20	3.09	3.01	2.95	2.90	2.85	2.79	2.72	2.65	2.61	2.57	2.53	2.49	2.45	2.40
12	4.75	3.89	3.49	3.26	3.11	3.00	2.91	2.85	2.80	2.75	2.69	2.62	2.54	2.51	2.47	2.43	2.38	2.34	2.30
13	4.67	3.81	3.41	3.18	3.03	2.92	2.83	2.77	2.71	2.67	2.60	2.53	2.45	2.42	2.38	2.34	2.30	2.25	2.21
14	4.60	3.74	3.34	3.11	2.96	2.85	2.76	2.70	2.65	2.60	2.53	2.46	2.38	2.35	2.31	2.27	2.22	2.18	2.13
15	4.54	3.68	3.29	3.06	2.90	2.79	2.71	2.64	2.59	2.54	2.48	2.40	2.33	2.29	2.25	2.20	2.16	2.11	2.07
16	4.49	3.63	3.24	3.01	2.85	2.74	2.66	2.59	2.54	2.49	2.42	2.35	2.28	2.24	2.19	2.15	2.11	2.06	2.01
17	4.45	3.59	3.20	2.96	2.81	2.70	2.61	2.55	2.49	2.45	2.38	2.31	2.23	2.19	2.15	2.10	2.06	2.01	1.96
18	4.41	3.55	3.16	2.93	2.77	2.66	2.58	2.51	2.46	2.41	2.34	2.27	2.19	2.15	2.11	2.06	2.02	1.97	1.92
19	4.38	3.52	3.13	2.90	2.74	2.63	2.54	2.48	2.42	2.38	2.31	2.23	2.16	2.11	2.07	2.03	1.98	1.93	1.88
20	4.35	3.49	3.10	2.87	2.71	2.60	2.51	2.45	2.39	2.35	2.28	2.20	2.12	2.08	2.04	1.99	1.95	1.90	1.84
21	4.32	3.47	3.07	2.84	2.68	2.57	2.49	2.42	2.37	2.32	2.25	2.18	2.10	2.05	2.01	1.96	1.92	1.87	1.81
22	4.30	3.44	3.05	2.82	2.66	2.55	2.46	2.40	2.34	2.30	2.23	2.15	2.07	2.03	1.98	1.94	1.89	1.84	1.78
23	4.28	3.42	3.03	2.80	2.64	2.53	2.44	2.37	2.32	2.27	2.20	2.13	2.05	2.01	1.96	1.91	1.86	1.81	1.76
24	4.26	3.40	3.01	2.78	2.62	2.51	2.42	2.36	2.30	2.25	2.18	2.11	2.03	1.98	1.94	1.89	1.84	1.79	1.73
25	4.24	3.39	2.99	2.76	2.60	2.49	2.40	2.34	2.28	2.24	2.16	2.09	2.01	1.96	1.92	1.87	1.82	1.77	1.71
26	4.23	3.37	2.98	2.74	2.59	2.47	2.39	2.32	2.27	2.22	2.15	2.07	1.99	1.95	1.90	1.85	1.80	1.75	1.69
27	4.21	3.35	2.96	2.73	2.57	2.46	2.37	2.31	2.25	2.20	2.13	2.06	1.97	1.93	1.88	1.84	1.79	1.73	1.67
28	4.20	3.34	2.95	2.71	2.56	2.45	2.36	2.29	2.24	2.19	2.12	2.04	1.96	1.91	1.87	1.82	1.77	1.71	1.65
29	4.18	3.33	2.93	2.70	2.55	2.43	2.35	2.28	2.22	2.18	2.10	2.03	1.94	1.90	1.85	1.81	1.75	1.70	1.64
30	4.17	3.32	2.92	2.69	2.53	2.42	2.33	2.27	2.21	2.16	2.09	2.01	1.93	1.89	1.84	1.79	1.74	1.68	1.62
40	4.08	3.23	2.84	2.61	2.45	2.34	2.25	2.18	2.12	2.08	2.00	1.92	1.84	1.79	1.74	1.69	1.64	1.58	1.51
60	4.00	3.15	2.76	2.53	2.37	2.25	2.17	2.10	2.04	1.99	1.92	1.84	1.75	1.70	1.65	1.59	1.53	1.47	1.39
120	3.92	3.07	2.68	2.45	2.29	2.17	2.09	2.02	1.96	1.91	1.83	1.75	1.66	1.61	1.55	1.50	1.43	1.35	1.25
∞	3.84	3.00	2.60	2.37	2.21	2.10	2.01	1.94	1.88	1.83	1.75	1.67	1.57	1.52	1.46	1.39	1.32	1.22	1.00

Note:  $m$  = degrees of freedom for the numerator  
 $n$  = degrees of freedom for the denominator  
Source: Handbook of Tables for Mathematics, edited by Robert C. West and Samuel M. Selby, 1970. Reprinted with the permission of the CRC Press, Inc.